

**T 10 N**

**R 6 W**



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor



to Draining trees		dist.	dir.	dist.
at 1. Dogwood		5	N 65 E	7
Michaux		12	S 56 N	7
2. B. Oak		30	S 58 E	31
Michaux		18	N 25 E	26
3. Beech		18	N 60 E	12
W. Oak		20	S 45 N	38
4. Poplar		7	South	4
Michaux		6	N 50 N	5
5. Elm		6	S 75 N	8
Maple		20	S 80 E	13
6. W. Oak		30	N 64 N	15
Beech		15	S 53 E	17
at 1. Poplar		30	N 23 N	42
Michaux		4	S 37 E	28
2. B. Oak		30	S 51 E	5
do		4	N 23 E	15
3. Elm		16	S 30 E	10
W. Oak		18	N 27 E	22
4. Beech		13	S 36 N	17
Elm		15	N 67 E	4
5. Beech		18	N 78 N	7
do		20	S 86 E	26
6.				
at 1. Oak		12	N 40 E	15
W. Oak		14	S 85 N	30
2. Dogwood		4	N 80 N	7
Howork		5	S 40 E	23
3. Sugar		15	S 12 N	12
do		12	S 30 E	17
4. B. Oak		48	N 35 N	7
Sassafras		7	East	8
5. Michaux		10	N 80 N	22
do		18	N 43 E	36
6. Beech		15	North	35
do		15	West	34
at 1. Michaux		12	S 20 N	14
W. Oak		24	North	32
2. Beech		16	S 67 E	7
Elm		20	N 75 N	22
3. Michaux		16	N 75 N	36
Beech		18	S 10 E	37
4. W. Oak		18	N 21 N	12
Poplar		20	S 80 E	24
5. Ash		8	East	7
do		12	N 35 N	40
6. Elm		10	N 61 N	42
Michaux		15	S 42 E	47
at 1. Beech		14	N 30 E	33
do		13	N 25 N	30
2. W. Oak		18	N 45 N	10
do		15	S 60 E	8
3. W. Oak		24	S 10 N	24
Sassafras		8	N 30 E	56
4. W. Oak		24	N 20 N	13
do		14	S 70 E	36
5. Butternut		15	S 80 E	32
B. Oak		12	S 75 N	18
6. Swamp				
at 1. W. Oak		24	S 35 N	13
Michaux		20	N 80 E	30
2. W. Oak		30	N 60 N	6
Beech		12	S 50 E	26
3. do		13	East	13
Michaux		16	N 39 N	10
4. do		18	S 10 N	20
Ash		6	N 25 N	14
5. Swamp				
6. Hackberry		6	S 81 N	14
W. Oak		24	N 74 E	33
at 1. Sugar		14	S 40 E	31
do		15	N 30 N	40
2. Michaux		17	N 15 N	18
do		14	S 45 E	43
3. W. Oak		22	N 80 N	9
Oak		6	N 15 E	17
4. Michaux		10	N 10 E	5
do		20	S 35 E	20
5. Beech		15	S 87 N	8
do		12	N 57 E	18
6. Sugar		15	N 18 E	40
do		18	N 81 N	34







T. 9 N. R. 6 W. 3<sup>rd</sup> Mer. Ind.

C. L. a Beech 14 in. dia. bears S 22 W 10 lbs. dist,  
 & a Do. 8 " " " N 66 W 34 " "  
 Land level & the timber is Beech Sugar  
 &c. Mud. & the Spice &c. Rich Soil,

## Met Between sections 6 &amp; 7

24.30 To a Beech 24 in. dia. in the line,  
 40.00 Set gr. sec. post from which  
 a Beech 8 in. dia. bears S 49 E 20 lbs. dist,  
 & a Sugar 10 " " " N 49 W 12 " "  
 65.00 To a Branch 10 lbs. wide cr. S,  
 70.00 Intersect W. boundary, set post from which  
 a W. Oak 30 in. dia. bears N 40 W 3 lbs. dist,  
 & a W. Oak 24 " " " N 40 E 6 " "  
 Land level & the timber is Oak, Beech  
 &c. Mud, & the Spice &c.

Surveyed by John Mc. Smald J. Sur.  
 1815. -

Township 10 North Range 6 West 3<sup>rd</sup> Mer. Ind.

C. L.

## South Boundary.

East Random On S. boundary, 2.10 N. 66 W. -  
 5 Mo. 77.00 lbs. Intersect Range line 150 lbs.  
 N. of Town corner, marked West -

## Met On South side of sec. 36 -

21.50 To a Brook 40 lbs. wide cr. S. E.  
 40.00 Set gr. sec. post from which  
 a W. Oak 30 in. dia. bears S 72 W 16 lbs. dist,  
 & an Ironwood 5 in. dia. & N 35 E 51 " "  
 80.00 Set a post cor. sec. 35 & 36 from which  
 a Sugar 15 in. dia. bears N 63 W 20 lbs. dist,  
 & an Ironwood 5 " " " S 51 E 60 " "  
 Flat & wet Beech land -

## Met On the South side of sec. 35.

40.00 Set gr. sec. post from which  
 a Beech 5 in. dia. bears N 64 E 16 lbs. dist,  
 & a Sugar 13 " " " S 86 W 43 " "  
 48.50 To a Brook 10 lbs. wide cr. N. E.  
 63.50 " " Do. 12 " " " N. E.  
 80.00 Set a post cor. sec. 34 & 35 from which  
 a Beech 14 in. dia. bears N 76 E 27 lbs. dist,  
 & a Walnut 3 " " " S 8 W 3 " "  
 Land & timber same as on last mile

## Met On the South side of sec. 34

40.00 Set gr. sec. post from which  
 a Beech 15 in. dia. bears S 40 W 19 lbs. dist,  
 & a Do. 18 " " " N 64 E 48 " "  
 80.00 Set a post cor. sec. 33 & 34 from which  
 a Sugar 12 in. dia. bears N 57 E 30 lbs. dist,  
 a Do. 10 " " " S 15 W 18 " "  
 Level Beech land



## T. 10 N. R. 6 W. 2nd Mer. Ind. a

Met On the south side of sec. 33,  
 14.00 To a Brook 10 lks. wide en. South  
 40.00 Set gr. sec. post from which  
     a Beech 16 in. dia. bears S 60 W 6 lks. dist,  
     & a Do. 16 " " " North 25 "  
 80.00 Set a post cor. sec. 32 & 33 from which  
     a Beech 12 in. dia. bears S 36 W 19 lks. dist,  
     & a Do. 5 " " " North 12 "  
 Level wet Beech land ~

Met On the south side of sec. 32,  
 40.00 Set gr. sec. post from which  
     a Beech 16 in. dia. bears N 8 W 11 lks. dist,  
     & a Dogwood 4 " " " N 53 E 12 "  
 43.00 To a Brook 5 lks. wide en. South  
 44.00 " a Blazed line running S. 73 W,  
 80.00 Set a post cor. sec. 31 & 32 from which  
     a Hickory 16 in. dia. bears S 35 W 18 lks. dist,  
     & a Poplar 18 " " " N 13 W 16 "  
 Land & timber same as on last mile

Met On the south side of sec. 31  
 21.00 To a Brook 3 lks. wide en. South  
 40.00 Set gr. sec. post from which  
     a Poplar 18 in. dia. bears N 4 W 14 lks. dist,  
     & a Sugar 16 " " " S 9 W 16 "  
 42.00 To a Brook 5 lks. wide en. S. W,  
 50.00 To a Spring en. South,  
 77.00 Set post Cor. Towns 9 & 10 N. Range 6 & 7 W,  
     a Hickory 8 in. dia. bears N 73 E 6 lks. dist &  
     & an Elm 12 " " " S 4 W 34 "  
 Land & timber same as last mile,  
 Surveyed in 1811. By James Holmes for  
 Alex. Holmes. Dep. Sur.

East Boundary.

## T. 10 N. R. 6 W. 2nd Mer. Ind. a

C. Le. April 27th 1811. - Var.  
 North On the East side of sec. 36,  
 40.00 Set gr. sec. post from which  
     a Hickory 16 in. dia. bears S 55 W 30 lks. dist,  
     & a sup. Oak 5 " " " N 37 E 13 "  
 44.50 To a Brook 12 lks. wide en. S. W,  
 80.00 Set a post cor. sec. 25 & 36 from which  
     a Beech 13 in. dia. bears N 6 E 15 lks. dist,  
     & a Do. 13 " " " S 48 W 11 "  
 Poor Oak & Beech land,

North On the East side of sec. 25  
 6.50 To a Brook 18 lks. wide en. S. W,  
 38.00 To a Poplar 18 in. dia. in the line,  
 40.00 Set gr. sec. post from which  
     an Elm 14 in. dia. bears N 41 E 25 lks. dist,  
     & a W. Oak 33 " " " S 70 W 39 "  
 80.00 Set a post cor. sec. 24 & 25 from which  
     a Poplar 20 in. dia. bears N 4 W 19 lks. dist,  
     & a Dogwood 4 " " " S 33 W 18 "  
 Land 2nd rate & the timber is Oak Sugar,

North On the East side of sec. 24  
 7.00 To a Sugar 18 in. dia. in the line,  
 40.00 Set a gr. sec. post from which  
     a Poplar 24 in. dia. bears S 65 E 9 lks. dist,  
     & a Dogwood 3 " " " S 77 W 12 "  
 80.00 Set a post cor. sec. 13 & 24 from which  
     a Hickory 12 in. dia. bears N 40 W 2 lks. dist,  
     & a Sugar 15 " " " N 63 E 19 "  
 Land middling good & the timber is Oak  
 Sugar &c. (perhaps Hickory Elm Ash &c.)

North On the East side of sec. 13  
 17.00 To a W. Oak 15 in. dia. in line,  
 40.00 Set gr. sec. post from which



T. 10 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

6. L. a W. Oak - in dia. bear S 11 W 31<sup>st</sup> Mer. Ind.  
 & a Do. 16 " " " N 11 W 24 " "  
 66.00 To a Brook 10<sup>th</sup> wide en. NW,  
 80.00 Set a post cor. sec. 12 & 13 from which  
 a W. Oak 16 in dia. bear S 50 W 40<sup>th</sup> Mer. Ind.  
 & a Poplar 18 " " " N 65 E 11 " "  
 Land &c. is same as on last mile,

## North On the East side of sec. 12

- 40.00 Set gr. sec. post from which  
 a Beech 18 in dia. bear N 27 E 14<sup>th</sup> Mer. Ind.  
 & a Do. 20 " " " S 62 W 60 " "  
 44.00 To a Hickory 18 " " in the line,  
 56.00 " " Brook 40<sup>th</sup> wide en. NW,  
 80.00 Set a post cor. sec. 11 & 12 from which  
 a Beech 16 in dia. bear S 5 E 48<sup>th</sup> Mer. Ind.  
 & a Dogwood 4 in dia. " N 74 W 31 " "  
 Land level & the timber same as last,

## North On the E. side of sec. 1

- 40.00 Set gr. sec. post from which  
 a W. Oak 13 in dia. bear S 31 W 8<sup>th</sup> Mer. Ind.  
 & a Beech 18 " " " N 38 E 40 " "  
 80.00 Set a Temporary Town cor. post,  
 April 28. 1811. Surveyed by  
 James Holmes J. S.  
 for Alex<sup>r</sup>. Holmes. Dep. Sur.

## North Boundary. Var.

- East On Rand<sup>m</sup> S. side sec. 31 T. 10 N. R. 6 W.  
 36.00 Set Temporary, gr. sec. post  
 65.00 To a Brook 5<sup>th</sup> wide en. —  
 76.00 Set post Temp. cor. sec. 31 & 32  
 Good Oak land & level —

T. 10 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- East On Rand<sup>m</sup> S. side sec. 32 T. 10 N. R. 6 W.  
 5.00 To a Brook 20<sup>th</sup> wide en. S. W.  
 40.00 Set a Temporary, gr. sec. post  
 55.00 To a Creek 200<sup>th</sup> wide en. S. W.  
 78.00 " " Do. 200 " " " NW,  
 Bottom land & the timber is Sugar Apples &c.  
 80.00 Set a temp. post cor. sec. 32 & 33 on the  
 E. bank of a creek - no timber

East On Rand<sup>m</sup> S. side of sec. 33 T. 10 N. R. 6 W

- 20.00 To a Creek en. South  
 35.00 Reached the creek  
 40.00 Set temp. gr. sec. post,  
 80.00 Set Temporary, post cor. sec. 33 & 34  
 Land & timber is same as on last mile

East On Rand<sup>m</sup> S. side of sec. 34 T. 10 N. R. 6 W

- 40.00 Set temp. gr. sec. post,  
 80.00 Set Temporary, post cor. sec. 34 & 35  
 That land & Beech & Elm timber,

East On Rand<sup>m</sup> S. side sec. 35 T. 10 N. R. 6 W

- 40.00 Set Temporary, gr. sec. post  
 80.00 Set temp. post cor. sec. 35 & 36  
 Good Oak land

East On Rand<sup>m</sup> S. side sec. 36 T. 10 N. R. 6 W.

- 40.00 Set a Temporary, gr. sec. post  
 80.00 Intersect E. boundary, at Temporary cor. post,  
 Established cor. Town 10<sup>th</sup> N. R. 5 & 6 W.  
 a Poplar 18 in dia. bear S 27 W 38<sup>th</sup> Mer. Ind.  
 a Beech 30 " " " N 78 E 52 " "  
 Land similar & —

Surveyed by James Holmes in 1811  
 For Alex<sup>r</sup>. Holmes J. S. —



T. 10 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

West On the S. side of sec. 36. T. 10 N. R. 6 W  
 40.00 Set gr. sec. post from which  
 a W. Oak 9 in. dia. bears S 50 W 1 1/2 m. dist,  
 & a Do. 24 " " " S 46 E 1 1/2 " "  
 80.00 Set a post cor. sec. 35 & 36 from which  
 a R. Oak 36 in. dia. bears S 48 W 3 1/2 m. dist,  
 & a Beech 14 " " " S 42 W 2 1/2 " "

West On S. side of sec. 35 T. 10 N. R. 6 W  
 40.00 Set gr. sec. post from which  
 a Bigwood 5 in. dia. bears S 44 W 28 m.  
 & an ash 36 " " " S 70 E 38 " dist,  
 80.00 Set a post cor. sec. 34 & 35 from which  
 an ash 8 in. dia. bears S 44 W 2 1/2 m. dist,  
 & a Do. 16 " " " S 59 E 13 " "

West On S. side of sec. 34 T. 10 N. R. 6 W  
 40.00 Set gr. sec. post from which  
 a Red Oak 14 in. dia. bears S 74 W 32 m. dist,  
 & a Maple 8 " " " S 67 E 21 " "  
 80.00 Set post cor. sec. 33 & 34 from which  
 a Beech 16 in. dia. bears S 78 W 22 m. dist,  
 & a Hickory 10 " " " S 75 E 33 " "

West On S. side of sec. 33 T. 10 N. R. 6 W  
 40.00 Set gr. sec. post from which  
 a W. Oak 30 in. dia. bears S 11 W 14 m. dist,  
 & a Beech 24 " " " S 69 E 21 " "  
 80.00 Set a post cor. sec. 32 & 33 from which  
 (on Bank of creek)  
 a Hackberry 18 in. dia. bears S 65 W 200 m.  
 no other -

West On S. side of sec. 32. T. 10 N. R. 6 W  
 40.00 Set gr. sec. post from which  
 a Boxelder 15 in. dia. bears S 53 W 57 m. dist

T. 10 N. R. 6 W. 2<sup>nd</sup> Mer. Indiana

a Thornbush 6 in. diam. bears N 52 E 9 1/2 m. dist  
 80.00 Set post Cor. to Sec. 31 & 32 T. 10 N. R. 6 W, from which  
 a Walnut 16 in. diam. bears S 24 W 17 1/2 m. dist. &  
 a Hickory 12 " " " N 52 E 38 " "

West On the South side of sec. 31 T. 10 N. R. 6 W,  
 40.00 Set gr. sec. post from which  
 a W. Oak 10 in. dia. bears S 66 W 7 1/2 m. dist,  
 & a R. Oak 24 " " " S 78 E 29 " "  
 80.00 Set Lempy. Lower corner,  
 May 4<sup>th</sup> 1881. Surveyed by  
 Alex. M. Mues. Dep. sur.

## West Boundary.

North On the E. side of Sec 36 T. 10 N. R. 6 W  
 10.00 To a spring course S. W,  
 20.00 " " Do. " S. W,  
 26.00 " " Do. " Do,  
 40.00 Set gr. sec. post from which  
 a Sugar 5 in. dia. bears N 65 E 4 m. dist,  
 & a Beech 5 " " " S 88 W 8 " "  
 55.00 To a Brook 3 m. wide cr. W,  
 73.00 " " Poplar 36 in. dia. in the line,  
 77.00 " " Brook 4 m. wide cr. NW,  
 80.00 Set a post cor. sec. 25 & 26 <sup>Sugar 8 in. cor. tree</sup> from which  
 a W. Oak 24 in. dia. bears S 32 E 8 m. dist  
 Rich level land & the timber is Sugar  
 Ash, Walnut Beech &c. (no other bearing.)

North On the E. side of sec. 25 T. 10 N. R. 6 W,  
 5.00 To a Spring course W,  
 17.16 To an Elm 16 in. dia. in the line,  
 30.00 " a Brook 5 m. wide cr. W,  
 40.00 Set gr. sec. post from which  
 a Elm 18 in. dia. bears S 6 E 43 m. dist



T. 10 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

6. S. & W. Oak 24 in. dia. bear N 11 E 34 in. dia.  
 70.00 To a Brook 5 in. wide en. S. W.  
 80.00 Set a post cov. sec. 24 & 25 from which  
 a Beech 8 in. dia. bear N 43 W 19 in. dia.  
 & a Maple 24 " " " N 45 E 31 " "  
 Land & timber same as last mile.

North On the E. side of sec. 24 T. 10 N. R. 6 W.  
 5.00 To a Brook 10 in. wide en. S. W.  
 24.40 " " Beech 16 in. dia. in the line.  
 40.00 Set gr. sec. post from which  
 a Sugar 12 in. dia. bear S 64 W 20 in. dia.  
 & a Hickory 9 " " " N 40 E 23 " "  
 80.00 Set post en. sec. 13 & 24 from which  
 an Elm 10 in. dia. bear S 46 E 19 in. dia.  
 & a Beech 12 " " " N 22 W 10 " "  
 Land is rich & the timber is Beech  
 Sugar, Ash &

North On the E. side of sec. 13 T. 10 N. R. 6 W.  
 28.00 To a Hickory 10 in. dia. in the line.  
 36.00 " " Brook 25 in. wide en. S. W.  
 40.00 Set gr. sec. post from which  
 an Oak 10 in. dia. bear S 8 W 27 in. dia.  
 & a Hickory 16 " " " N 37 W 23 " "  
 80.00 Set a post en. to sec. 13 & 13 from which  
 a Gum 9 in. dia. bear South 17 in. dia.  
 & an Elm 12 " " " N 40 W 20 " "  
 Flat land & the timber is Elm, Ash Oak &

North On the E. side of sec. 12 T. 10 N. R. 6 W.  
 30.00 To a Hackberry 30 in. dia. in the line.  
 40.00 Set gr. sec. post from which a Sycamore  
 36 in. dia. bear East 2 in. dia. &  
 a Beech 16 in. dia. bear S 61 W 12 " "  
 50.00 To a Brook 20 in. wide en. W.

T. 10 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

71.00 To a Brook 20 in. wide en. S. E.  
 81.00 Set post in do. cov. sec. 1 & 12 from which  
 a Buckeye 6 in. dia. bear West 29 in. dia.  
 Land 1<sup>st</sup> to bottom, timber Hackberry Buckeye  
 Sugar & &

North On the E. side of sec. 1 T. 10 N. R. 6 W.  
 1.00 Leave creek en. S. W.  
 40.00 Set gr. sec. post from which  
 a Maple 18 in. dia. bear S 74 E 24 in. dia.  
 & a W. Oak 8 " " " N 61 W 15 " "  
 61.25 To an Elm 24 " " in the line  
 80.00 Set Lumpy, Town corner post.  
 Land flat & the timber is Oak & Hickory Elm &  
 April 30<sup>th</sup> 1811. - Surveyed in 1811 by  
 Alex. Holmes. Sep. Sur. -

## Subdivisions.

North Between sections 35 & 36. March 21. 1814  
 18.00 To a Brook 20 in. wide en. S. E.  
 40.00 Set gr. sec. post from which  
 an Ash 12 in. dia. bear S 50 E 18 in. dia.  
 & a W. Oak 14 " " " S 85 W 30 " "  
 80.00 Set Lumpy, post. Land flat & wet &  
 the timber is Oak, Hickory &

East On Randon between sec. 25 & 36  
 Land & timber same as on last mile

West On Low line between sec. 25 & 36  
 5.00 To a Brook 50 in. wide en. South  
 22.00 " " Do. 30 " " " S.  
 40.00 Set gr. sec. post from which  
 a Hickory 14 in. dia. bear S 10 W 24 in. dia.  
 & a Beech 20 " " " N 45 E 13 " "  
 79.50 Set post cov. sec. 25 & 26. 35 & 36 from which



## T. 10 N. R. 6 W. 2nd. New. Ind.

6. L. 6 Hickory 9 in. dia. bears S 10 W 16 in. dist. 8  
 & a D. 13 " " " N 10 E 10 " "

## North Between sections 25 &amp; 26,

40.00 Set gr. sec. post from which  
 a Dogwood 4 in. dia. bears N 80 W 7 in. dist.  
 & a Hawthorn 5 " " " S 40 E 23 " "  
 55.50 To a Brook 25 in. wide cr. S. E.  
 79.00 " " D. 10 " " " S. E.  
 80.00 Set Temporary post. Landsame as last,

East On Random between sec. 24 & 25  
 Flat, wet land & the timber Oak Hickory &c.

West On true line between sec. 24 & 25  
 40.00 Set gr. sec. post from which  
 a Hickory 12 in. dia. bears N 55 W 8 in. dist. 4  
 a Sugar 8 " " " S 45 W 25 " "  
 53.50 To a Brook 5 in. wide cr. South  
 79.50 Set a post cor. sec. 23, 24, 25 & 26 from which  
 an Oak 12 in. dia. bears S 30 W 16 in. dist. 8  
 & an Oak 15 " " " N 48 E 18 " "

## North Between sections 23 &amp; 24.

20.00 To a W. Oak 28 in. dia. in the line,  
 28.00 " " Brook 4 in. wide cr. S. W.  
 40.00 Set a gr. sec. post from which  
 a Sugar 15 in. dia. bears N 12 W 12 in. dist.  
 & a D. 12 " " " S 30 E 17 " "  
 66.50 To a Brook 8 in. wide cr. S. W.  
 80.00 Set a Temporary post cor. sec. 13, 14, 23 & 24  
 Second random land & the timber is Beech Sugar &c.

East On Random between sec. 13 & 24  
 Land & timber same as last mile

## T. 10 N. R. 6 W. 2nd. New. Ind.

West Correct the line between sec. 13 & 24  
 40.00 Set gr. sec. post from which  
 a Sugar 18 in. dia. bears S 83 W 27 in. dist.  
 & a D. 15 " " " S 55 E 30 " "  
 59.00 To a Brook 7 in. wide cr. S. W.  
 79.00 Set post cor. sec. 13, 14, 23 & 24 from which  
 a Hickory 20 in. dia. bears S 55 E 23 in. dist.  
 & a W. Oak 8 " " " S 75 W 5 " "

## North Between sections 13 &amp; 14

40.00 Set gr. sec. post from which  
 a B. Oak 48 in. dia. bears N 35 W 7 in. dist.  
 & a Sassafras 7 " " " East 8 " "  
 72.75 To a W. Oak 20 " " in the line  
 80.00 Set a Temporary post cor. sec. 11, 12 & 13 & 14

East On Random between sec. 12 & 13  
 Land rich broken with guts & L. timber same,

West Correct the line between sec. 12 & 13.  
 3.50 To a Brook 8 in. wide cr. N.  
 6.50 " " D. 5 " " " N. E.  
 40.00 Set gr. sec. post from which  
 a Dogwood 5 in. dia. bears N 65 E 7 in. dist.  
 & a Hickory 12 " " " S 50 W 7 " "  
 78.50 Set post cor. sec. 11, 12, 13 & 14 from which  
 a B. Oak 36 in. dia. bears N 80 E 34 in. dist.  
 & a B. Oak 30 " " " South 16 " "  
 March 22nd, 1814 -

## North Between sections 11 &amp; 12

17.00 To a Brook 4 in. wide cr. N. W.  
 38.00 " " W. Oak 16 in. dia. in the line,  
 40.00 Set a post for gr. sec. cor. from which  
 a Hickory 10 in. dia. bears N 80 W 22 in. dist.  
 & a Hickory 18 " " " N 42 E 36 " "







## T. 10 N. R. 6 W. 2nd Mer. Ind.

57.00 To a Brook 6 M. wide cr. S.E.  
 80.00 Set a Temp. post.  
 Land & timber same as on last mile,

East On Random between sec. 14 & 23.  
 Land &c. same as last,

West Correct the line between sec. 14 & 23  
 10.00 To a Brook 3 M. wide cr. South  
 16.00 " " Do. 4 " " " S.  
 40.00 Set gr. sec. post cor. from which  
 a W. Oak 30 in. dia. bears N 65 E 17 M. dist,  
 & a Sugar 10 " " " S 35 W 12 " "  
 44.50 To a Brook 4 M. wide cr. South  
 80.00 Set a post cor. sec. 14, 15, 22 & 23 from wh.  
 a Beech 18 in. dia. bears S 68 E 24 M. dist,  
 & a Hickory 15 " " " S 55 W 23 " "

North Between sections 14 & 15. March 23, 1814  
 40.00 Set gr. sec. post from which  
 a W. Oak 18 in. dia. bears N 21 W 12 M. dist,  
 & a Poplar 20 " " " S 80 E 24 " "  
 40.50 To a W. Oak 36 " " in line,  
 53.50 " " Brook 8 M. wide cr. NW.  
 80.00 Set a Temp. post. Land level  
 & the timber is Oak & Hickory. Land  
 wet & grassy.

East On Random between sec. 11 & 14  
 Land &c. is same as on last mile

West Correct the line between sec. 11 & 14  
 40.00 Set gr. sec. post from which  
 a B. Oak 30 in. dia. bears S 58 E 31 M. dist,  
 & a Hickory 18 " " " N 25 E 26 " "  
 76.50 To a Brook 5 M. wide cr. NW,

## T. 10 N. - R. 6 W. 2nd Mer. Ind.

80.00 Set a post cor. sec. 10, 11, 14 & 15 from wh.  
 a Gum 13 in. dia. bears N 40 W 10 M. dist,  
 & an Elm 20 " " " N 40 E 12 " "

North Between sections 10 & 11 -  
 28.00 To a Brook 4 M. wide cr. NW,  
 46.00 Set gr. sec. post from which  
 an Ash 18 in. dia. bears N 35 W 40 M. dist,  
 & an Ash 8 " " " East 7 " "  
 65.00 To a Brook 5 M. wide cr. West,  
 80.00 Set a temp. sec. post,  
 Land &c. same as on last mile.

East On Random between sec. 2 & 11  
 Land level wet & the timber Maple Elm &c.

West Correct the line between sec. 2 & 11  
 7.00 To a Brook 5 M. wide cr. N.  
 40.00 Set gr. sec. post from which  
 a B. Oak 30 in. dia. bears S 50 E 5 M. dist,  
 & a Do. 4 " " " N 23 E 15 " "  
 80.00 Set a post cor. sec. 2, 3, 10 & 11 from which  
 a Gum 24 in. dia. bears S - W 12 M. dist,  
 & a Do. 14 " " " S - E 19 " "

North Between sections 2 & 3.  
 40.00 Set gr. sec. post from which  
 an Elm 10 in. dia. bears N 61 W 42 M. dist  
 & a Hickory 15 " " " S 42 E 47 " "  
 66.50 To a Beech 18 " " in the line,  
 80.00 Intersect N. boundy. at old post.  
 & took bearings for cor. sec. 2 & 3.  
 an Ash 18 in. dia. bears N 48 E 20 M. dist,  
 & a Do. 6 " " " S 10 W 18 " "  
 Land &c. same as on last mile.



STATE OF INDIANA  
INDIANA STATE LIBRARY  
PHOTOGRAPHIC LABORATORY  
CAMERA OPERATOR'S CERTIFICATE

Roll No. 4689 Reduction Ratio 14 & 16:1  
Name of Agency United States Surveyor General  
Title of Record Series: Survey Plats and Field Notes for Owen County

Reel Begins with Township 10 North Ends with Township 10 North  
Range 2 West Range 6 West

Certificate: I hereby certify that I have on this 13 day of October 19 72  
photographed the documents appearing on this roll of film Indiana State Archives that they are true  
and complete copies of documents found in the Indiana State Archives  
file described above.

Signature Calvin Anderson